gar

REMAINS) CLOSED in the appropriate communs. This application is suited. MPEP 1308.	CLARK, WILLIAM T.  Art Unit  2831  the correspondence address-his application. If not included ication will be mailed in due course. THI bject to withdrawal from issue at the initial	S ative
am H. Mayo III  on the cover sheet with REMAINS) CLOSED in the per appropriate communities. This application is sufficiently application in the period of th	Art Unit 2831  the correspondence address his application. If not included ication will be mailed in due course. THI	S ative
on the cover sheet with REMAINS) CLOSED in the rappropriate communds. This application is suited to the second sec	the correspondence address his application. If not included ication will be mailed in due course. THI	<b>S</b> ative
REMAINS) CLOSED in the appropriate communs. This application is suited. MPEP 1308.	his application. If not included ication will be mailed in due course. <b>THI</b>	<b>S</b> ative
received in Application onts have been received in secommunication to file a of this application.  Note the attached EXAM	No In this national stage application from the reply complying with the requirements	;
son(s) why the oath or d	eclaration is deficient.	
<sup>2</sup> atent Drawing Review (	PTO-948) attached	
ndment / Comment or ir	the Office action of	
should be written on the der according to 37 CFR	drawings in the front (not the back) of 1.121(d).	
BIOLOGICAL MATER THE DEPOSIT OF BIOL	RIAL must be submitted. Note the OGICAL MATERIAL.	
<ol> <li>Interview Sum Paper No./Ma</li> <li>⊠ Examiner's Ar</li> </ol>	nmary (PTO-413), ail Date mendment/Comment	
	s communication to file a of this application.  Note the attached EXAN son(s) why the oath or dubmitted.  Patent Drawing Review (endment / Comment or in should be written on the ader according to 37 CFR  BIOLOGICAL MATERIHE DEPOSIT OF BIOLOGICAL MA	Interview Summary (PTO-413), Paper No./Mail Date  1. Interview Summary (PTO-413), Paper No./Mail Date  2. Interview Summary (PTO-413), Paper No./Mail Date  3. Interview Summary (PTO-413), Paper No./Mail Date  4. Interview Summary (PTO-413), Paper No./Mail Date  5. Interview Summary (PTO-413), Paper No./Mail Date  7. Interview Summary (PTO-413), Paper No./Mail Date  7. Interview Summary (PTO-413), Paper No./Mail Date  7. Interview Summary (PTO-413), Paper No./Mail Date

Application/Control Number: 10/705,672

Art Unit: 2831

## **EXAMINER'S AMENDMENT**

- 1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
- 2. The application has been amended as follows:
  - a) Please cancel claims 1-6.
  - b) In claim 11, replace the numerical "10" with the numerical -9--.

## Allowable Subject Matter

- 3. Claims 7-9 and 11-30 are allowed.
- 4. The following is an examiner's statement of reasons for allowance: This invention deals with a shielded cable comprising a plurality of twisted pairs of insulated conductors, a core disposed between the plurality of twisted pairs of insulated conductors, wherein a dual jacket encloses the core and the plurality of twisted pairs of insulated conductors, wherein the dual jacket includes first and second jacket layers with a shield disposed between the first and second jacket layers, wherein at least one of the first and second jacket layers comprises a plurality of protrusions (claim 7). This invention also deal with a bundled cable comprising a first cable comprising a plurality of twisted pairs of insulated conductors and a first separator arranged between the plurality of twisted pairs so as to separate one of the plurality of twisted pairs from

Page 2

Application/Control Number: 10/705,672

Art Unit: 2831

others of the plurality of twisted pairs, wherein the first cable has a first jacket, a second cable having a second jacket, wherein each of the first and second jackets comprise a plurality of protrusions, wherein the plurality of protrusions of the first jacket are inwardly projecting and having a first spacing sufficiently small so as to prevent any one of the plurality of twisted pairs of insulated conductors from lying between adjacent ones of the plurality of protrusions (claim 9). This invention also deal with a bundled cable comprising a first cable comprising a plurality of twisted pairs of insulated conductors and a first separator arranged between the plurality of twisted pairs so as to separate one of the plurality of twisted pairs from others of the plurality of twisted pairs, wherein the first cable has a first jacket, a second cable having a second jacket, wherein each of the first and second jackets comprise a plurality of protrusions, wherein the plurality of protrusions of the first jacket are outwardly projecting and having a first spacing sufficiently small so as to prevent any one of the plurality of twisted pairs of insulated conductors from lying between adjacent ones of the plurality of protrusions (claim 12). This invention also deal with a cable comprising a plurality of twisted pairs of insulated conductors including a first twisted pair and a second twisted pair, a core disposed between the plurality of twisted pairs of insulated conductors so as to separate the first twisted pair from the second twisted pair, wherein the first and second twist lays and the first and second nominal impedances are selected such that a skew between the first and second twisted pairs is less than about 21 nanoseconds per 100 meters and a difference between the first and second nominal impedances is between approximately 2 Ohms and 15 Ohms (claim 15). This invention also deals with a plurality of twisted

Art Unit: 2831

pairs of insulated conductors, a separator arranged between the plurality of twisted pairs so as to separate one of the plurality of twisted pairs from others of the plurality of twisted pairs; and a first jacket surrounding the plurality of twisted pairs and the separator; and a second jacket surrounding the first jacket, wherein at least one of the first jacket and the second jacket comprises a plurality of protrusions extending away from a surface of the respective one of the first jacket and the second jacket (claim 21). This invention also deals with a bundle cable comprising a first cable including a plurality of twisted pairs of insulated conductors and a first jacket, wherein the first jacket including a first plurality of projections extending outwardly from an outer surface of the first jacket; a second cable including a plurality of twisted pairs of insulated conductors and a second jacket, the second jacket including a second plurality of outwardly projecting protrusions; wherein the first cable is twisted in a helical manner with a first cable lay so as to provide a first twisted cable; wherein the second cable is twisted in a helical manner with a second cable lay so as to provide a second twisted cable', and wherein the bundled cable further comprises an overall jacket surrounding the first and second twisted cables along a length of the bundled cable (claim 29). The above stated claim limitations, in combination with other claim limitations, is not taught or suggested by the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2831

## Response to Arguments

5. Applicant's arguments filed May 6, 2005 have been fully considered and they are persuasive. Specifically, the applicant's arguments that "Gareis doesn't disclose either the inner or outer jacket having protrusions", "Neither of Clark nor Clark2 disclose the plurality of protrusions of the first jacket being inwardly or outwardly projecting and having a first spacing sufficiently small so as to prevent any one of the plurality of twisted pairs of insulated conductors from lying between adjacent ones of the plurality of protrusions", and that "neither Friesen and Gaeris teach or suggest the first and second twist lays and the first and second nominal impedances being selected such that a skew between the first and second twisted pairs is less than about 21 nanoseconds per 100 meters and a difference between the first and second nominal impedances is between approximately 2-15 Ohms", is persuasive and therefore the claims having been allowed.

## Communication

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to William H. Mayo III whose telephone number is (571)-272-1978. The examiner can normally be reached on M-F 8:30am-6:00 pm (alternate Fridays off).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dean Reichard can be reached on (571) 272-2800 ext 31. The fax phone

Art Unit: 2831

number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

William 71. Mayo 11
Primary Examiner
Art Unit 2831

WHM III June 18, 2005

wist Cabled Core Profile
ANNOTATED SHEET SHOWING CHANGES




FIG. 1




FIG. 2